

Fenta™
By ANZAL

Hygienic, UV-coated commercial ceiling tiles



Fenta is a pre-finished, washable commercial ceiling tile, made with a quality fibre cement board. Finished with a UV-cured antimicrobial gloss, it's ideal for use where hygiene is critical.

Uses

Commercial
kitchens

Bathrooms


Changing rooms

Laundries

Utility areas

Healthcare

Laboratories



CODE COMPLIANT

Hygienic and fire resistant

Fenta ensures the highest levels of hygiene and sanitation. Water and moisture resistant, its hard, smooth surface is impregnated with an antimicrobial additive to minimise the spread of bacteria, mould and mildew, ensuring compliance with B2 Durability and G3 Food Preparation requirements in the New Zealand Building Code (NZBC). The tiles fit into all standard suspended ceiling grids and meet the maximum standard in fire safety – Group 1-S.

SCRATCH RESISTANT

Durable UV coating

Fenta features a durable ultraviolet (UV) coated surface. UV-cured coating systems are harder than conventional coatings and offer excellent impact and scratch resistance. The Fenta surface will last longer than most architectural paint systems, so requires less maintenance over its lifetime.

ENVIRONMENTAL

VOC-free paint

With UV technology, coatings are instantly dried on the UV line with no VOC emissions. UV curing complies with international environmental standards, such as Global Green Tag, and the coating is manufactured under the ISO 14001 environmental standard.

BRIGHTER SPACES

Highly light reflective

Fenta's high-gloss surface has high reflectivity to maximise light reflectance and light distribution in a room for improved working conditions and energy efficiency. Service spaces are often windowless, and whenever Fenta has been retrofitted into an existing space, the staff are delighted by the better lighting conditions, making their work easier.



Product technical statement

Fenta has been made in New Zealand for over 30 years by Bates Surface Solutions, New Zealand's largest coatings applicators for building panel products. Since October 2018, the tiles have been coated with a full UV-cured paint system with no solvents, resulting in cleaner air in the factory and no solvent smell when delivered to site.

DESCRIPTION

Fenta is a hard-wearing, pre-finished ceiling tile with a white high-gloss or satin UV-cured urethane-based, non-yellowing coating. The nominally 595mm x 1195mm tiles combine a 4.5mm-thick James Hardie fibre cement board with a stylish, scratch-resistant, light-reflective surface finish, with the back surface and edges sealed with a urethane-based coating.

INSTALLATION

Fenta tiles are simple to install – they can be laid directly into a suspended two-way ceiling grid set for a 1200mm x 600mm module tile. Follow the standard installation guidelines from the grid manufacturers and refer to our Maintenance Guide at www.anzal.com. Fenta tiles are delivered to site with a protective film, which should be peeled off prior to fitting.

MAINTENANCE

To clean the tiles, simply wipe the surface with a damp cloth. For more stubborn marks, use a non-abrasive domestic cleaner. To remove dirt and soap build-up, wipe down the tiles with sugar soap or kerosene on a damp cloth. Follow all safety instructions on the product packages.

SCOPE OF USE / LIMITATIONS

Fenta is designed for commercial interiors where hygiene is critical. It is a low-maintenance, long-lasting ceiling material for commercial kitchens, bathrooms, commercial laundries, hospital and healthcare interiors, hotel utility spaces and changing rooms – any space where a durable antimicrobial surface is required. Its high light reflectance also makes it particularly valuable for windowless spaces.

Compliance

DURABILITY

Fenta exceeds a five-year minimum durability as required by New Zealand Building Code (NZBC) Clause B2.3.1.

The robust James Hardie fibre cement base panel is coated using state-of-the-art UV technology and high-temperature steam autoclaving. Tiles are fully cured in the factory and don't emit any solvents when installed. UV-cured paints are harder than conventional coatings, and offer: impact resistance; excellent Taber (wear/abrasion) test; and scratch resistance.

FIRE SAFETY: GROUP 1-S

Fenta achieves a Group 1-S, the highest level in NZBC standards.

Fenta ceiling tiles are tested to ISO 5660-1:2015 (NZBC Verification Method C/VM2 Appendix A) and AS/NZS 3837 and achieved group classification numbers "1-S" and "1" respectively.

HYGIENIC AND ANTIMICROBIAL

Fenta meets the requirements of Clause G3.3.2 in NZBC G3 Food Preparation and Prevention of Contamination.

Fenta ceiling tiles were designed for hygiene; as such, they meet every current domestic and overseas hygiene regulation when installed correctly. Fenta tiles are resistant to moisture, mould and mildew and have a hard, seamless surface coating to make them easy to clean. The top, clear coat of the Fenta tile contains an antimicrobial additive to limit the potential growth of bacteria for the lifetime of the tile.

WARRANTY

Fenta ceiling tiles come with a 10-year manufacturer's warranty. For full details, visit www.anzal.com.

CONTACTS AND DISTRIBUTION

Fenta ceiling tiles are distributed by
Forman Building Systems
T&R Interior Systems
Potter Interior Systems

See www.anzal.com for details.

For technical information,
email technical@anzal.com
or call 0800 ANZAL1 (0800 269 251).

by
ANZAL